



# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Db. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99065  
Date Reported: 7 Nov 12  
Date Completed: 7 Nov 12  
Date Received: 5 Nov 12 17:02

**99065-01 1625 Meadowood Way LQRV**

Sampled By:

Sampling Date: 5 Nov 12 15:30

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

**99065-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	11/6/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	11/6/2012

Approved By:

Catherine Black, Owner/Operator

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

11/7/2012 12:16

Page 1 of 1



# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Db. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99205  
Date Reported: 14 Nov 12  
Date Completed: 14 Nov 12  
Date Received: 13 Nov 12 15:24

**99205-01 1545 Pady Pl LQRV**

Sampled By:

Sampling Date: 13 Nov 12 14:00

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

**99205-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	11/13/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	11/13/2012

Approved By:

Catherine Black, Owner/Operator

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

11/14/2012 16:00

Page 1 of 1



# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Db. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99319  
Date Reported: 20 Nov 12  
Date Completed: 20 Nov 12  
Date Received: 19 Nov 12 12:48

**99319-01 1773 Country Road**

**LQRV**

**Outside Tap**

Sampled By:

Sampling Date: 19 Nov 12 10:45

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

### **99319-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	11/19/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	11/19/2012

Approved By:

Catherine Black, Owner/Operator

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

11/20/2012 12:02

Page 1 of 1



# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Db. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99431  
Date Reported: 27 Nov 12  
Date Completed: 27 Nov 12  
Date Received: 26 Nov 12 13:53

**99431-01 1826 Martini Way**

**LQRV**

**Outside Tap**

Sampled By:

Sampling Date: 26 Nov 12 12:30

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

### **99431-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	11/26/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	11/26/2012

Approved By:

Catherine Black, Owner/Operator

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

11/27/2012 10:15

Page 1 of 1



# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Dba. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99584  
Date Reported: 4 Dec 12  
Date Completed: 4 Dec 12  
Date Received: 3 Dec 12 16:50

**99584-01 1625 Meadwood Way LQRV**

Sampled By:

Sampling Date: 3 Dec 12 15:00

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

**99584-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/3/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/3/2012

Approved By:

Catherine Black, Owner/Operator

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

12/4/2012 12:10

Page 1 of 1



# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Db. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99719  
Date Reported: 11 Dec 12  
Date Completed: 11 Dec 12  
Date Received: 10 Dec 12 16:40

**99719-01 1545 Pady Pl LQRV**

Sampled By:

Sampling Date: 10 Dec 12 15:30

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

### **99719-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/10/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/10/2012

Approved By:

Catherine Black, Owner/Operator

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

12/24/2012 09:34

Page 1 of 1



# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Db. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99860  
Date Reported: 19 Dec 12  
Date Completed: 19 Dec 12  
Date Received: 18 Dec 12 10:05

**99860-01 1773 Country Road LQRV**

Sampled By: Glen  
Sampling Date: 18 Dec 12 0:00

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

### **99860-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/18/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/18/2012

Approved By:

Catherine Black, Owner/Operator

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

12/19/2012 11:09

Page 1 of 1



# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Db. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99958  
Date Reported: 31 Dec 12  
Date Completed: 29 Dec 12  
Date Received: 27 Dec 12 16:59

**99958-01 1826 Martini Way LQRV**

Sampled By: Glen  
Sampling Date: 27 Dec 12 15:30

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

**99958-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/28/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/28/2012

Approved By:

Catherine Black, Owner/Operator

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

12/31/2012 09:44

Page 1 of 1





# North Island Laboratories

• 2755 B Moray Avenue, Courtenay, B.C. V9N 8M9 Tel: (250) 338-7786 Fax: (250) 338-7553

## Certificate of Analysis

Report To: 648613 BC LTD  
Db. Pady Consulting  
Candice Pady  
1339 Meadowood Way  
Qualicum Beach, BC V9K 2S4

Lab Number: 99982  
Date Reported: 2 Jan 13  
Date Completed: 2 Jan 13  
Date Received: 31 Dec 12 14:58

**99982-01 1625 Meadowood Way LQRV**

Sampled By: Glen  
Sampling Date: 31 Dec 12 14:00

Test	Result	Units	Drinking Water Guideline
Total Coliforms (DES)	<1.0	MPN/100mL	<1
E. coli (DES)	<1.0	MPN/100mL	<1

### **99982-01**

Test	Method	Analyst	Date
E. coli (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/31/2012
Total Coliforms (DES)	Enzyme Substrate, APHA 9223 B -modified	NIsL	12/31/2012

Approved By:

Ramona S, Lab Tech

AO = Aesthetic Objective; MAC = Max. Allowable Concentration; IMAC = Interim MAC

> = Greater than; < = Less than

Results relate only to samples as submitted. This certificate must not be reproduced, except in its entirety, without written consent from the laboratory.

Canadian Drinking Water Guidelines as listed on Dec. 5th, 2005 and are subject to

1/2/2013 10:21

Page 1 of 1